




Australian Government
Department of Health



Australian Indigenous
HealthInfoNet

The Preventing Aboriginal and Torres Strait Islander maternal smoking portal supporting improved access, safety, quality and affordability for the remote maternal and child health and tobacco prevention workforce.

Trish Amaranti
Australian Indigenous HealthInfoNet

Acknowledgement to country


I respectfully acknowledge the traditional custodians of the land on which we are meeting, the Yawuru people and pay my respects to Elders past and present and future.



Introduction

In this presentation:


- Introduction to the Preventing Aboriginal and Torres Strait Islander Maternal Smoking portal (PATSIMS)
- How using the free to access portal can assist you in your work
- Future developments.



Introduction - HealthInfoNet

The HealthInfoNet:

- Was established in 1997 by the late Professor Neil Thomson
- Aims to make research around Aboriginal and Torres Strait Islander health easily accessible
- Funded by the Department of Health
- Based at Edith Cowan University, Mount Lawley (in Perth, WA).



PATSIMS – why the need

Tobacco smoking in pregnancy in 2014


45%
of Aboriginal and
Torres Strait
Islander women
smoked during
pregnancy





13%
of non –
Indigenous
women smoked
during pregnancy

Source

Australian Institute of Health and Welfare
(2016) *Australia's mothers and babies 2014: in
brief*. Canberra: Australian Institute of Health and
Welfare



PAMSWA to PATSIMS background



PATSIMS portal

Home About Funders Contact Warning Type keywords + Clear Quick access

Australian Indigenous HealthInfoNet

Topic A-Z Health facts Chronic conditions Infectious conditions Other health conditions Related issues Determinants Protective & risk factors Population groups States and territories Health Infrastructure

Home > Population groups > Preventing Aboriginal and Torres Strait Islander Maternal Smoking

Preventing Aboriginal and Torres Strait Islander Maternal Smoking

Welcome to the Preventing Aboriginal and Torres Strait Islander Maternal Smoking (PATSIMS) portal. This resource aims to provide the Aboriginal and Torres Strait Islander maternal and child health workforce and related workers with access to quality information about smoking cessation and prevention to support improved health for Aboriginal and Torres Strait Islander women and their babies.

Content includes key facts, publications, health promotion resources, practice resources and programs and projects. Workforce information includes courses and training, job opportunities, conferences, workshops and events.

This web resource also links to the Preventing Aboriginal and Torres Strait Islander Maternal Smoking Yarning place. It provides opportunities for online networking to encourage information sharing and collaboration among health professionals and others involved in maternal health and smoking cessation and prevention among Aboriginal and Torres Strait Islander women.

Key Facts

Programs and Projects

Organisations

Publications

Resources

Workforce

More on this topic...

Twitter

Tweets by @AHPATSIMS

PATSIMS @AHPATSIMS
Aboriginal Health Scholarship Program
goo.gl/8uHUS

PATSIMS @AHPATSIMS
Smoking rates among pregnant indigenous women tackled in major research project
goo.gl/8wVCTp
Sep 28, 2017

Embed View on Twitter

PATSIMS News

28 September 2017
Smoking rates among pregnant indigenous women tackled in major research project
More PATSIMS news >


HealthInfoByte

PATSIMS aims to prevent and reduce smoking

Video: Preventing Aboriginal and Torres Strait Islander Maternal Smoking portal (PATSIMS)



PATSIMS portal – sub topics



Key topic areas on the portal



Key Facts

Home » Population groups » Preventing Aboriginal and Torres Strait Islander Maternal Smoking » Key Facts

Print

Key Facts



Tobacco smoking in pregnancy

Smoking while pregnant is dangerous because the poisons in tobacco can be passed on to the baby [1]. Women who smoke when they are pregnant may have more problems than non-smokers during pregnancy and labour, and are at higher risk of:

- spontaneous abortion and miscarriage (when a pregnancy is involuntarily terminated before 20 weeks of gestation)
- ectopic pregnancy (when a fertilised egg is implanted outside the uterus, usually in the fallopian tubes)
- complications of pregnancy relating to the placenta and membranes, many of which can lead to preterm delivery (when the baby is born too early)[2].

Smoking in pregnancy also means the baby may:

- be born too early (premature/preterm birth)
- be born too small (low birthweight)
- be at higher risk of Sudden Infant Death Syndrome (SIDS)
- have an increased risk of deformities [1, 3].

Being born too early and too small can cause serious health, growth and development issues throughout the baby's life, even into adulthood [1, 3].

Smoking is one of the most important preventable risk factors for these complications in pregnancy and poor health outcomes for babies [4]. It is best if mothers can stop smoking before getting pregnant, but the earlier they stop during pregnancy the better. It is also important for pregnant women to try to avoid being around smokers altogether [1].

Passive smoking

Second hand smoke (passive smoke) is associated with a range of harmful health effects both for pregnant women (and their unborn babies) and for infants and children who are exposed to second hand smoke in their environments [5]. Emerging research is also pointing to the serious health risk of third hand smoke which includes pollutants from tobacco smoke that remain on surfaces and in dust, commonly in homes and cars, after active smoking has ceased [6]. Infants and children may be particularly vulnerable to the harmful effects of third hand smoke given their early developmental stage [6].

More on this topic...



[PATSIMS - Home](#)

[Key facts](#)

[Programs and Projects](#)

[Organisations](#)

[Publications](#)

[Resources](#)

[Workforce](#)



PATSIMS - programs

Title	Reach	Focus
A Comprehensive Approach to Aboriginal and Torres Strait Islander Tobacco Control	National	●
A Woman Centred Approach to Aboriginal Women's Smoking	WA	●
Aboriginal and Torres Strait Islander Health Worker/Practitioner Training Pathway Model Project	NT, QLD, WA	●
Aboriginal Child Health Team (Child and Adolescent Community Health)	WA	●
Aboriginal Maternal Health Program	WA	●
Aboriginal Quitline	NSW, QLD, VIC	●
Alcohol, Tobacco and Other Drugs Program (Tasmanian Aboriginal Centre)	TAS	●
Apunipima Tackling Smoking and Healthy Lifestyle Program	QLD	●
Apunipima's Healthy Communities Project	QLD	●
Asthma and Smoking Prevention Project	NT	●
B.strong Brief Intervention Training Program	QLD	●
Be Our Ally Beat Smoking (BOABS) Study	WA	●
Better Health with Aboriginal Health Workers at King Edward Memorial Hospital	WA	●
Beyond the Big Smoke	WA	●
Boodjari Yorgas Family Care Program	WA	●
Developing Persuasive Messages to Support Rural Aboriginal Australians to Quit Smoking	National	●



PATSIMS- programs

Be Our Ally Beat Smoking (BOABS) Study

Reach: WA

Focus area: Indigenous

Status: Completed

Evaluated: Yes

Overview

The National Health and Medical Research Council (NHMRC) funded this randomised control trial of smoking cessation strategies in two Aboriginal Community Controlled Health Services (ACCHS) in the Kimberley (Derby and Ord Valley). Participants were randomly assigned to either a program following standard quit program strategies or a more intensive supported quit smoking intervention.

Locally trained Aboriginal research staff were responsible for carrying out the Be Our Ally Beat Smoking (BOABS) Project. The preparation phase of this study included:

- training of clinical and data management staff on the standard quit program
- the development of a locally-tailored, intensive smoking cessation program
- intervention resource development
- recruitment of Aboriginal staff as researchers for the study
- training of Aboriginal research staff in conducting a randomised controlled trial and the provision of the intensive smoking cessation program.

Abstract adapted from Kimberley Aboriginal Medical Services Council Inc.

Contacts

Kimberley Aboriginal Medical Services Council Inc.

Corner of Anne and Dora Street

PO Box 1377

Broome WA 6725

Ph: (08) 9194 3200

Fax: (08) 9192 2500

Email: [✉ Julia.Marley@rcswa.edu.au](mailto:Julia.Marley@rcswa.edu.au)

Related publications


Marley JV, Atkinson D, Kitaura T, Nelson C, Gray D, Metcalf S, Maguire GP (2014)

The Be our ally beat smoking (BOABS) study; a randomised controlled trial of an intensive smoking cessation intervention in a remote Aboriginal Australian health care setting.

BMC Public Health; 14: 32

Each entry provides:

- An overview of the program
- Outcomes of the program (if available)
- Contact details
- Related publications (if available)
- Evaluated publications (if available)
- Links for further information



PATSIMS - Organisations

Name	Government	Reach	Focus
Aboriginal Health Council of South Australia Inc. (AHCSA)	Non-government	SA	●
Aboriginal Health Council of Western Australia (ACHWA)	Non-government	WA	●
Alcohol Tobacco and Other Drug Association (ATODA)	Non-government	ACT	●
Anyinginyi Health Aboriginal Corporation	Non-government	NT	●
Apunipima Cape York Health Council	Non-government	QLD	●
Asthma Foundation WA	Non-government	WA	●
Australian Council on Smoking and Health (ACOSH)	Non-government	WA	●
Babbingur Mia South Coastal Aboriginal Health Services	Non-government	WA	●
Bega Garnbirringu Health Service	Non-government	WA	●
Brewarrina Aboriginal Service Ltd	Non-government	NSW	●
Broome Regional Aboriginal Medical Service (BRAMS)	Non-government	WA	●
Cancer Council Western Australia	Non-government	WA	●
Carbal Medical Centre	Non-government	QLD	●
Central Australian Aboriginal Congress (CAAC)	Non-government	NT	●
Child and Adolescent Health Service (CAHS)	Government	WA	●
Dandenong and District Aborigines Co-operative Limited	Non-government	VIC	●
Danila Dilba Health Service	Non-government	NT	●
Derbarl Yerrigan Health Service Inc.	Non-government	WA	●
Derby Aboriginal Health Service (DAHS)	Non-government	WA	●



PATSIMS - publications

2017

2016

2015

2014

2013

2012

2011





2017

Bar Zeev Y, Bonevski B, Twyman L, Watt K, Atkins L, Palazzi K, Oldmeadow C, Gould GS (2017)

Opportunities missed: a cross-sectional survey of the provision of smoking cessation care to pregnant women by Australian general practitioners and obstetricians.

; 19(5): 638-641

Links

- [View abstract: Opportunities missed: a cross-sectional survey of the provision of smoking cessation care to pregnant women by Australian general practitioners and obstetricians](#) 
-  [View article: Opportunities missed: a cross-sectional survey of the provision of smoking cessation care to pregnant women by Australian general practitioners and obstetricians \(PDF - 121.4 KB\)](#) 
- [View website: Nicotine & Tobacco Research](#) 





Bar-Zeev Y, Bonevski B, Bovill M, Gruppetta M, Oldmeadow C, Palazzi K, Atkins L, Reath J, Gould GS (2017)

The Indigenous Counselling and Nicotine (ICAN) QUIT in Pregnancy Pilot Study protocol: a feasibility step-wedge cluster randomised trial to improve health providers' management of smoking during pregnancy.

BMJ Open. 7: e016095

Retrieved 4 August 2017 from <http://bmjopen.bmj.com/content/7/8/e016095>

Links

- [View article: The Indigenous Counselling and Nicotine \(ICAN\) QUIT in Pregnancy Pilot Study protocol: a feasibility step-wedge cluster randomised trial to improve health providers' management of smoking during pregnancy](#) 
-  [View article: The Indigenous Counselling and Nicotine \(ICAN\) QUIT in Pregnancy Pilot Study protocol: a feasibility step-wedge cluster randomised trial to improve health providers' management of smoking during pregnancy \(PDF - 502.0 KB\)](#) 
- [View website: BMJ Open](#) 

Publications are a collection of articles, reports and other literature:

- Publication lists for PATSIMS include General, Pregnancy, Smoking prevention & cessation, Family & Environment, Reports and Workforce
- Currently over 135 publications on Aboriginal and Torres Strait Maternal Smoking.




PATSIMS – health promotion

Title	Year	Author	Type
Smoke Free Community	2017	Ready Mob	Audiovisual
Deadly Choices Quit Today resources	2016	Deadly Choices	Resource package
Having the hard yarn in Napranum	2016	Apunipima Cape York Health Council	Audiovisual
Smoking...are you kidding?	2016	Gippsland Tobacco & Healthy Lifestyle Team	Poster
Clouded history	2015	National Centre of Indigenous Excellence	Audiovisual
Let's make their world smoke free	2015	Bayley, P.	Poster
My QuitBuddy [mobile app]	2015	Quitline	Electronic source
Stay strong and healthy: pregnancy resources for Aboriginal women	2015	NSW Ministry of Health	Resource package
Stayin' strong: smoking	2015	Brisbane Indigenous Media Association	Audiovisual
Strong boorais, bright futures - keeping healthy during pregnancy	2015	Australian Drug Foundation and Victorian Aboriginal Community Controlled Health Organisation	Audiovisual
Tobacco free pregnancy	2015	Paull, S. Bayly, P.	Booklet
Alcohol, other drugs and pregnancy	2014	Australian Drug Foundation	Booklet
Anti smoking radio ads	2014	Women and Newborn Health Service	Audiovisual
Breathe clearly, live healthy, quit smoking	2014	Mawarnkarra Health Service	Audiovisual
Give smokes the flick...it really makes 'cents'	2014	North Coast Health Promotion	Resource package



PATSIMS – health promotion



Health promotion resources:

- Aimed at the general public
- Can be used by health workers when working with communities and families



PATSIMS – health practice

Smoking Cessation

SCREENING

Who and when to screen?

At each visit, ask and record the smoking status of everyone 12 years and older e.g. with routine Adult Health Check or Child Health Check

Under 12 years: if presents with smoking-related illness (e.g. worsening asthma) or smoking suspected for other reasons.

Ask all pregnant women at the first antenatal visit, at each visit during pregnancy and at the postnatal check.

What to ask?

1. Ask about current smoking status:

- Do you smoke?
- 2. If the answer is yes, some questions can help to find out if they are addicted to nicotine.

Answering yes to ANY of the following indicates likely nicotine addiction:

- Do you smoke within half an hour of waking up in the morning?
- Do you smoke more than 10 cigarettes a day?
- How do you feel when you don't smoke? (Any craving or withdrawal symptom like feeling grumpy or stressed?)
- 3. Then ask about whether they are ready to quit:
 - How do you feel about your smoking at the moment?
 - Are you ready to stop smoking?

There is strong evidence to support brief motivational advice from Health Professionals as being effective in encouraging smoking cessation.

Ask, Assess, Advise, Assist and Arrange follow up at every opportunity.

Using Breath Carbon Monoxide (CO) analysers

- Some sites may have a portable Breath CO analyser available to use Eg Smokerlyzer.
- These can be used to help in assessing a patient's smoking status and to begin a conversation about smoking cessation.
- The CO reading will be influenced by the time of the patient's last cigarette (half-life of approximately 3-4 hours).
- The majority of non-smokers (even with passive smoking) will have a reading of <5ppm.
- Refer to information that comes with each analyser.

PRINCIPLES OF MANAGEMENT

A. Not ready to quit:

- Provide advice about health effects of smoking.
- Let them know if they change their mind, to come back to the clinic; there are lots of ways clinic staff can help them quit smoking.
- A smoker may change their mind about quitting, so remember to ask them at each visit to the clinic.

B. Unsure or ready to quit.

- Find out what the person thinks is good and bad about smoking.
- Focus on the benefits of quitting e.g. health effects, saving money, no passive smoke for children and family.
- Talk about things that make it hard for them to quit.
- If the patient is still unsure, offer information and a follow up appointment.
- If patient is ready to quit, help them make a quit plan and then work out how they will reach that goal.
- Work out with them their best management option.

Quitting Cold Turkey

Some people will prefer to pick a quit day and just stop smoking. This is more likely to be successful for people who are not addicted and are very motivated.

Regular counselling and support

- At each visit give the person plenty of time to talk. Discuss problems including slip ups, provide tips on avoiding/managing these, and give plenty of encouragement.
- Offer support from the local "Tobacco Action Worker" or other key person in your area.
- Offer other forms of counselling and/or group supports which are available in your area.
- If the person has access to a telephone and is interested, Quitline offers free return calls and there is an Aboriginal Liaison Service available. (Phone: 137 848)
- Apps for smartphones are also available. eg. QuitBuddy.

Advice for people chewing tobacco

Chewing tobacco does not carry the same risks to health as smoking; however, it is associated with an increased risk of mouth and throat cancer. Advise anyone who chews tobacco to stop. Consider using nicotine gum as a replacement.

Gunja and tobacco

The mixing of tobacco and gunja (marijuana) is common practice. People may be reluctant to discuss their use of gunja, but it is important to encourage them to be open about it, as it will impact on their efforts to quit smoking.

NOTE: The combination of nicotine replacement therapy (NRT) with support is usually the most effective way to quit smoking.

Smoking Cessation

Health practice resources:

- Aimed at Health workers
- Designed to up-skill or support practitioners when working in the area of maternal smoking prevention



Workforce information

Workforce information relevant to all topics.

We provide:

- Courses and training
- Job opportunities
- Funding
- Conferences, workshops and events



Title	Institution	State	Focus
Aboriginal and Torres Strait Islander Health Worker training	Aboriginal Health Council of Western Australia (AHCWA) Training and Development Unit	WA	●
Brief Interventions for a Healthy Lifestyle: Maternity and Child Health (BI-M)	Clinical Skills Development Service	National	●
Midwifery Up Skilling	CRANaplus	NT	●
Online Brief Tobacco Intervention Training	Smoke Free WA Health	WA	●
Quitskills Smoking Cessation Training for Tackling Indigenous Smoking	Cancer Council SA	National	●
Smoking Cessation Course	Lung Health Promotion Centre at The Alfred	National, VIC	●
Supporting maternal and newborn health - Kindoowaliny Ngaangkang Yinang-Koorlangweda Koodamiyara-Kwop	Aboriginal Maternity Services Support Unit (AMSSU)	WA	●



PATSIMS Yarning Place

The screenshot shows the PATSIMS Yarning Places website. At the top, there is a navigation bar with links for Home, Yarning places, Mob Members, Yarn now, Events, and Help. Below this is a header section with the site's logo and title. The main content area features a list of posts under the heading "Preventing Aboriginal & Torres Strait Islander Maternal Smoking". Each post includes a date, a brief description, and a "Last Post by" information. On the left side, there are several utility links such as "Unjoin yarning place", "Share yarning place", and "Invite Mob members". At the bottom of the page, there are logos for the Australian Government Department of Health, Australian Indigenous HealthInfoNet, and ECU University.

Preventing Aboriginal & Torres Strait Islander Maternal Smoking

Yarning board (5) Mob Members (126) Photos (4) Events (4) message-stick

Post New Topic View All 9 Topics

22 replies
Latest news on PATSIMS
Hi PAMBWA yarning place members!
The evaluation survey for the Preventing Aboriginal Maternal Smoking WA project will be closing soon so make sure you jump online and share your views & experiences to support us in building the new online p
Last Post by Australian Indigenous HealthInfoNet
Tue at 2:02 PM

0 replies
Priority gaps in maternal care identified
The EBP project for maternal health care brought together de-identified continuous quality improvement (CQI) data from 51 health centres participating in the ABCD National Research Partnership. The health centres include community-controlled and govern
Last Post by Jodie Belle
July 6

1 reply
PAMBWA expands nationally to PATSIMS
1 May 2017
Hi PATSIMS readers!The Preventing Aboriginal Maternal Smoking WA portal and Yarning place has been expanded and renamed the Preventing Aboriginal and Torres Strait Islander Maternal Smoking (PATSIMS) portal. It is designed to impr
Last Post by Australian Indigenous HealthInfoNet
May 10

4 replies
How to find an organisation/publication on the HealthInfoNet
Hi everyone,
What information did you find on the HealthInfoNet and how did you find it?
Last Post by Australian Indigenous HealthInfoNet
March 23, 2016

1 reply
Post evaluative survey
Hi PAMBWA readers,
Many thanks to all who have take the time to complete the PAMBWA post evaluative survey on Preventing Aboriginal maternal smoking in WA, which will remain open until 15 February 2016. If you haven't already had the chance to
Last Post by Australian Indigenous HealthInfoNet
February 16, 2016

Unjoin yarning place
Share yarning place
Invite Mob members

Yarning place info

Preventing Aboriginal & Torres Strait Islander Maternal Smoking
Coordinator: Tran Amarniti
Facilitator: Tran Amarniti
4,732 total views
126 total mob members
Last updated: May 1

Newsletter:
Sign up to our newsletter

Care funding is provided by the Australian Government Department of Health

Australian Indigenous HealthInfoNet


Helping to 'close the gap' by providing the evidence base to inform practice and policy in Aboriginal and Torres Strait Islander health

ECU UNIVERSITY
EDITH COWAN

Copyright ©2017 • Privacy • Disclaimer • Terms of Service • Contact • English ▼


The PATSIMS Yarning Place is designed to:

- Provide an online forum for service providers to share information knowledge and experiences
- Build collaborative networks with other health workers around Australia.
- There are currently over 126 mob members using the site.



Newsletter

PATSIMS newsletter 

 Share  Tweet  Forward

3 October 2017

Dear PATSIMS readers,

This is the next monthly newsletter from the [Preventing Aboriginal and Torres Strait Islander Maternal Smoking \(PATSIMS\)](#) portal on the [Australian Indigenous HealthInfoNet](#) with a list of recent programs, resources, news and upcoming events, conferences, courses and jobs that might be of interest to you and help promote Aboriginal and Torres Strait Islander maternal and child health.

The PATSIMS Workshop Program is about to commence on Friday 13 October 2017 in Cairns, Queensland (Qld). Further workshops will be held in Darwin, Northern Territory (NT) on Monday 16 October and Broome, Western Australia (WA) on Wednesday 18 October, 2017.

The PATSIMS yarning place currently has 126 mob members you may like to yarn with and 4 upcoming events. You can also connect with us at the [PATSIMS twitter account](#), where you can join our 115 followers who are following Aboriginal and Torres Strait Islander maternal and child health.

We welcome feedback from our users so that we can provide you with the best information to suit your needs. Let us know what you think by emailing me (p.amaranti@ecu.edu.au) with your news concerning preventing maternal smoking.

Kind regards
Trish Amaranti
Research Officer
Australian Indigenous HealthInfoNet

News


- Smoking rates among pregnant Indigenous women tackled in major research project
- CATSINaM and University of Canberra join forces in advertising strategy survey
- East Pilbara young people to create community anti-smoking ads
- WA Nursing and Midwifery Excellence Awards now open
- SISTAQUIT seeking EOIs from AMSs to be involved in tobacco cessation project


For more PATSIMS news click [here](#).

New and updated programs
This month will highlight programs from the Qld

PATSIMS will be running cafes this month at the 2017 CATSINaM Professional Development Conference on Tuesday 10 to Wednesday 11 October on the Gold Coast, Qld and at the 35th CRANAplus Conference in Broome, WA on Wednesday 18 to Friday 20 October 2017. Come and say hello if you are in the area .


 Visit our Yarning place

 Follow @atHPAMSWA




PATSIMS health newsletters:

- Sent out once a month
- Contains information on news, job opportunities, publications, resources and programs
- Only takes 2 minutes to sign up!



Future of the HealthInfoNet

- Moving the whole website to a responsive design (easier to use on tablets/phones)
- Improving other parts of the site, such as the search and navigation
- We hope to launch in January 2018




Search

- ◉ Working on creating a really easy-to-use search feature for the new website
- ◉ The new search will allow users to search for specific content with a number of filters
- ◉ For example, content specific to Indigenous counselling and nicotine.



Pre-set filters



Preventing Aboriginal and Torres Strait Islander Maternal

Explore this topic

First results in content-list-blob =

Subtopics

All lists Family and environment is Pregnancy is Smoking prevention and cessation is

Go to advanced search

Filters

Newly listed

1 2 3 4 5 Next

Online journal article

2017

The Indigenous Counselling and Nicotine (ICAN) QUIT in Pregnancy Pilot Study protocol: a feasibility step-wedge cluster randomised trial to improve health providers' management of smoking during pregnancy

Bar-Zeevi, Y. Bonevski, B. Boyle, M. Gruppette, M. Oldmeadow, C. Palazzi, K. Atkins, L. Reath, J. Gould, G.S.

Online journal article

2017

Evidence for a comprehensive approach to Aboriginal tobacco control to maintain the decline in smoking: an overview of reviews among Indigenous peoples

Chamberlain, C. Ferlan, S. Brennan, S. Rychekinski, L. Thomas, D. Maddox, R. Alam, N. Banks, E. Wilson, A. Eades, S.

Journal article

2017

Wula (voices) of Aboriginal women on barriers to accepting smoking cessation support during pregnancy: findings from a qualitative study

Boyle, M. Gruppette, M. Cadde-James, Y. Clarke, M. Bonevski, B. Gould, G.S.

Conference presentation

2017

Challenges to uptake of cancer education resources by rural Aboriginal Health Workers: the Cancer Healing Messages flipchart experience

Flueckiger, T. Bierbaum, M. McNamee, C. Ramsay, I. Corcini, N.

Journal article

2017

Improving Indigenous health through education

Hart, M.B. Moore, M.J. Leventy, M.

Journal article

2017

Demographic characteristics and pregnancy outcomes in adolescents - experience from an Australian perinatal centre

Daniels, S. Robson, D. Flatley, C. Kumar, S.

- Pregnancy
- Smoking prevention and cessation


Preventing Aboriginal and Torres Strait Islander Maternal Smoking overall content

- Publications
- Resources
- Programs and projects
- Organisations



Helping you get used to the changes

- Change can be challenging, but we're here to help!
- We'll be running a series of webinars to guide people through the new site
- You can contact us at **any time** to ask for assistance.



Conclusion

Thank you!

Please contact me if you have any information to share on the portal, or if you have any queries. I also have a booth here at the conference so come and say hello!

Trish Amaranti

Ph: (08) 6304 6172

Email: p.amaranti@ecu.edu.au

